

Total Customer Satisfaction
ISO 9002 Certified
Apparel



InterWorld®

Your Global Resource

www.interworldgroup.com

InterPeds™

Half Combo Shoecover

10135-111

- Coolness provided by polypropylene top
- Resists moisture, oil and chemicals with compressed polyethylene bottom
- Strong nonskid properties and better grip with heavy emboss, texture and coating.



Part Number	Descriptions	Material	Color	Size	Packing
10135-111	Top Bottom	Polypropylene Polypropylene/Compressed polyethylene	White Blue	16"	100pieces/bag, 3bags/case

Dura Shoecover

10135-110

- Snug fit minimized safety hazard with streamlined cut.
- Slip resistance ensured by durable laminate material with polypropylene inside
- Generous sizing with best use of material



Part Number	Descriptions	Material	Color	Size	Packing
10135-109	Laminated	Polypropylene/Compressed polyethylene	Lilac	16"	100pieces/bag, 3bags/case
10135-110	Laminated	Polypropylene/Compressed polyethylene	Lilac	18"	100pieces/bag, 3bags/case

Nonwoven Shoe covers

10070-107

- Most generous sizing, 0.5"-1" larger than industry standard
- Better traction with thermally applied nonskid material made from proprietary formulation
- Cleanliness ensured; manufactured in a stringently controlled environment



Part Number	Descriptions	Material	Color	Size	Packing
10070-106	Regular	Spunbonded Polypropylene	Blue	16"	100pieces/bag, 3bags/case
10070-107	Nonskid	Spunbonded Polypropylene	Blue	16"	100pieces/bag, 3bags/case
10070-108	Regular	Spunbonded Polypropylene	Blue	18"	100pieces/bag, 3bags/case
10070-109	Nonskid	Spunbonded Polypropylene	Blue	18"	100pieces/bag, 3bags/case

Impervious Shoe covers

- Effectively contains dirt and moisture with seamless bottoms
- Better grip with heavy texture
- Nontoxic and odorless



10135-105



10135-108

Impervious Shoe covers

Part Number	Descriptions	Material	Color	Size	Packing
10135-103	Economy	Compressed Polypropylene	Blue	14"	100pieces/bag, 40bags/case
10135-104	Light weight	Compressed Polypropylene	Blue	14"	100pieces/bag, 50bags/case
10135-105	Light weight	Compressed Polypropylene	Blue	16"	100pieces/bag, 10bags/case
10135-106	Medium weight	Compressed Polypropylene	White	16"	100pieces/bag, 10bags/case
10135-107	Heavy weight	Compressed Polypropylene	White	16"	100pieces/bag, 3bags/case
10135-108	Heavy weight booties	Compressed Polypropylene	White	16"	100pieces/bag, 3bags/case

Conductive Shoe covers

10070-127

- Capable of dissipating static buildup with conductive carbon strip sewn in
- Securely and comfortably grip on ankle provided by elastic top



Part Number	Descriptions	Material	Color	Size	Packing
10070-127	Conductive	Spunbonded Polypropylene	Blue	16"	100pieces/bag, 3bags/case
10070-128	Conductive	Spunbonded Polypropylene	Blue	18"	100pieces/bag, 3bags/case

General Specifications

	Spunbonded polypropylene	Compressed polyethylene
Materials:	42g/m ² (1.25oz)	customized
Thickness:	8+1.05mils	customized
Ultimate Elongation :	<150%	<250%
Breathability	Yes	No

InterCap™ Bouffant Cap

10070-102

- Cool, comfortable and strong, made with Spunbonded polypropylene
- Cost effective choice for general applications
- Cleanliness ensured; manufactured, vacuum sealed and double bagged in a stringently controlled environment
- Static dissipative bouffant caps with proprietary static dissipative formulation added to the polypropylene material during the spunbonding process also available and packaged to ensure shelf life.



Part Number	Material	Size	Color	Packing
10070-145	Spunbonded Polypropylene	18"	White	100pieces/bag, 10bags /case
10070-100	Spunbonded Polypropylene	21"	White	100pieces/bag, 10bags /case
10070-101	Spunbonded Polypropylene	21"	Blue	100pieces/bag, 10bags /case
10070-102	Spunbonded Polypropylene	24"	White	100pieces/bag, 10bags /case
10070-103	Spunbonded Polypropylene	24"	Blue	100pieces/bag, 10bags /case
10070-104	Spunbonded Polypropylene	28"	White	100pieces/bag, 10bags /case
10070-105	Spunbonded Polypropylene	28"	Blue	100pieces/bag, 10bags /case
10070-146	Spunbonded Polypropylene, ElectroStatic Discharge	24"	White	100pieces/bag, 10bags /case

*Custom put ups available

General Specifications

Material: 14g/m²(0.4oz) Spunbonded polypropylene
 Thickness: 2+/-0.2mils
 Ultimate Elongation: <120%
 Breathability: Yes

InterMask™

Face Masks

- Breathability provided by soft, comfortable materials
- Secure fastening ensured with ultrasonically welded earloops/headloops
- Better filtration efficiency with 3 ply, meltblown polypropylene sandwiched between thermal bonded polypropylene
- Cleanliness ensured; manufactured, vacuum sealed and double bagged in a stringently controlled environment



10070-144

Part Number	Descriptions	Ply	Material	Color	Size	Packing
10070-117	Earloop, cleanroom	3ply	Polyester	White	universal*	50 pieces/bag, 20bags/case
10070-115	Earloop	3ply	Polyester	White	universal	50 pieces/bag, 20bags/case
10070-116	Earloop, cleanroom	3ply	Polyurethane	White	universal	50 pieces/bag, 20bags/case
10070-140	Earloop	3ply	Polyurethane	White	universal	50 pieces/bag, 20bags/case
10070-129	Earloop	2ply	Polyester	White	universal	50 pieces/bag, 20bags/case
10070-130	Earloop, cleanroom	2ply	Polyester	White	universal	50 pieces/bag, 20bags/case
10070-134	Earloop, cleanroom	2ply	Polyurethane	White	universal	50 pieces/bag, 20bags/case
10070-133	Earloop	2ply	Polyurethane	White	universal	50 pieces/bag, 20bags/case
10070-143	4 Ties	3ply	Polypropylene	White	universal	50 pieces/bag, 20bags/case
10070-144	4 Ties, cleanroom	3ply	Polypropylene	White	universal	50 pieces/bag, 20bags/case
10070-137	4 Ties	2ply	Polypropylene	White	universal	50 pieces/bag, 20bags/case
10070-138	4 Ties, cleanroom	2ply	Polypropylene	White	universal	50 pieces/bag, 20bags/case
10070-151	headloop	3ply	Polyester	White	universal	50 pieces/bag, 20bags/case
10070-139	headloop, cleanroom	3ply	Polyester	White	universal	50 pieces/bag, 20bags/case
10070-141	headloop	3ply	Polyurethane	White	universal	50 pieces/bag, 20bags/case
10070-142	headloop, cleanroom	3ply	Polyurethane	White	universal	50 pieces/bag, 20bags/case
10070-131	headloop	2ply	Polyester	White	universal	50 pieces/bag, 20bags/case
10070-132	headloop, cleanroom	2ply	Polyester	White	universal	50 pieces/bag, 20bags/case
10070-135	headloop	2ply	Polyurethane	White	universal	50 pieces/bag, 20bags/case
10070-136	headloop, cleanroom	2ply	Polyurethane	White	universal	50 pieces/bag, 20bags/case

*Universal, 6.89" +/- 0.08" x 3.62" +/- 0.08"

General Specifications

Material: 15g/m² thermal bonded polypropylene
+ 10g/m² melt blown polypropylene

Thickness: 2 +/- 0.5mils

Ultimate elongation: < 120%

Breathability: Yes



10070-115



10070-151

Beard Covers

- Manufactured, vacuum sealed and double bagged in a stringently controlled clean environment
- Cool, comfortable and consistent quality, made with spunbonded polypropylene

10070-121



Part Number	Material	Color	Size	Packing
10070-122	Spunbonded Polypropylene	White	7"x11"	100pcs/bag, 10bags/case
10070-123	Spunbonded Polypropylene	White	8"x16"	100pcs/bag, 10bags/case
10070-121	Spunbonded Polypropylene	White	10"x 20"	100pcs/bag, 10bags/case

General Specifications

Material: 14g/m² Spunbonded polypropylene

Thickness: 2 +/- 0.2mils

Ultimate Elongation: < 120%

Breathability: Yes

InterGuard™ - Disposable Lab Coat

- Tapered professional fit with elastic at the back
- Convenience and comfort, designed with 3 pockets and 5 snaps in front
- Ideal and economical general use garment
- Comfortable first-line disposable barrier provided by strong, lightweight and breathable material

Part Number	Descriptions	Material	Color	Size	Packing
10070-147	3 pockets,5 snaps	Spunbonded polypropylene	White	S-XXXL	30pieces/case
10070-148	3 pockets,5 snaps	Spunbonded-Meltblown-Spunbonded	White	S-XXXL	30pieces/case

Jumpsuit

- Easy donning coverall made of white spunbonded polypropylene fabric with a zipper down the front
- Comfortable first-line disposable barrier provided by strong, lightweight and breathable material

10070-150



10070-147



Part Number	Descriptions	Material	Color	Size	Packing
10070-149	hood attached,zip front	Spunbonded polypropylene	White	S-XXXL	25pieces/case
10070-150	hood attached,zip front	Spunbonded-Meltbond-Spunbonded	White	S-XXXL	25pieces/case

Sleeves

- Secure fit offered by protective sleeves with elastic at both ends
- Full barrier protection from contamination with choice of light weight/ breathable or impervious barrier material

10135-101



Part Number	Descriptions	Material	Color	Size	Packing
10135-102	Dry applications	Spunbonded polypropylene	White	18"	100pieces/bag, 3bags/case
10070-101	Wet applications	Compressed polyethylene	White	18"	100pieces/bag, 3bags/case


General Specifications

Material: Spunbonded , 42g/m² (1.25oz Spunbonded polypropylene)
 Thickness: 8 +/- 1.1 mils
 Ultimate Elongation: <120%
 Breathability: Yes

InterGuard™ - Launderable Apparel

- Class 10, 100, 1000 and/or ESD; all custom designed upon request

ISO 9002 Certified Quality Management Systems ensures Total Customer Satisfaction



InterWorld constantly maintains the level of quality of our products to meet the demands of the customers we serve. A skilled and quality-conscious workforce together with first-rate facilities, equipments and 15 years experience enables us to meet and even exceed our customers' expectations.

In June 2000, InterWorld (Suzhou) Cleanroom Products Mfg, Ltd became an ISO9002 certified manufacturer of cleanroom consumables. A fully integrated Quality Management program carefully monitors all aspects of manufacturing. From the selection of raw materials, production, packaging and final inspection; each product undergoes a Total Quality Assurance and Management system. This program is also compliant with military standards for inspection and ISO9002 Quality System standards governing quality control and inspection requirements. It ensures our finished products will always meet or exceed our customer's specifications.

Governed by the Quality Policy of "Total Customer Satisfaction", InterWorld's Quality Objective is to provide on time delivery to our customers consistently with defect-free products that meet and exceed their expectations each time and every time.

Reliable, quality and professional service reflects our commitment to total customer satisfaction. The ISO9002 certification demonstrates that InterWorld is able to fulfill that promise.

InterWorld®
Your Global Resource

Headquarter Address: 4161 Ingot Street, Fremont, California 94538, USA

Tel: 510 226 6080, Fax: 510-226 6089, Email: ussales@interworldgroup.com, internationalsales@interworldgroup.com